

**Washington State HIV/AIDS Surveillance Report - 01/31/2006**  
**Washington State Department of Health**

**Table 1. HIV<sup>1</sup> and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING**

Year <sup>5</sup>	TOTAL CASES (& CASE FATALITY RATE <sup>2</sup> ) DIAGNOSED DURING INTERVAL <sup>3</sup>					DEATHS OCCURRING DURING INTERVAL <sup>4</sup>		CASES PRESUMED LIVING DIAGNOSED DURING INTERVAL <sup>3</sup>		
	HIV <sup>1</sup>		AIDS		HIV/AIDS Total	HIV <sup>1</sup>		HIV <sup>1</sup>		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	No.	No.	No.	
1982	2	0%	1	(100%)	3	0	0	2	0	2
1983	5	(20%)	20	(100%)	25	0	7	4	0	4
1984	7	0%	79	(97%)	86	0	31	7	2	9
1985	68	(12%)	132	(98%)	200	0	81	60	3	63
1986	59	(15%)	245	(98%)	304	0	126	50	5	55
1987	71	(17%)	370	(96%)	441	2	188	59	15	74
1988	84	(17%)	493	(94%)	577	6	236	70	28	98
1989	114	(16%)	611	(92%)	725	8	309	96	49	145
1990	136	(20%)	733	(91%)	869	6	371	109	63	172
1991	148	(12%)	835	(88%)	983	4	461	130	99	229
1992	134	(11%)	897	(79%)	1,031	7	515	119	187	306
1993	117	(11%)	943	(71%)	1,060	12	617	104	276	380
1994	170	(7%)	853	(59%)	1,023	9	676	158	348	506
1995	181	(6%)	754	(42%)	935	6	665	171	441	612
1996	225	(5%)	662	(29%)	887	7	495	213	472	685
1997	226	(5%)	512	(22%)	738	10	226	214	399	613
1998	220	(2%)	385	(24%)	605	6	167	215	291	506
1999	274	(2%)	351	(24%)	625	7	137	268	268	536
2000	336	(3%)	430	(20%)	766	34	165	325	343	668
2001	312	(1%)	389	(15%)	701	24	153	309	330	639
2002	307	(2%)	413	(12%)	720	23	157	300	363	663
2003	324	(1%)	421	(10%)	745	29	184	322	377	699
2004	333	0%	400	(7%)	733	10	152	333	374	707
2005	361	(1%)	381	(3%)	742	8	90	358	368	726
2006	1	0%	2	0%	3	0	0	1	2	3
TOTAL	4,215	(5%)	11,312	(55%)	15,527	218	6,209	3,997	5,103	9,100

**Table 2. HIV<sup>1</sup> and AIDS CASES, GENDER BY AGE AT DIAGNOSIS**

	HIV <sup>1</sup>						AIDS					
	Male		Female		Total		Male		Female		Total	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
0-13	16	0%	21	0%	37	(1%)	15	0%	17	0%	32	0%
13-19	61	(1%)	40	(1%)	101	(2%)	33	0%	12	0%	45	0%
20-29	1,151	(27%)	224	(5%)	1,375	(33%)	1,659	(15%)	231	(2%)	1,890	(17%)
30-39	1,495	(35%)	180	(4%)	1,675	(40%)	4,741	(42%)	390	(3%)	5,131	(45%)
40-49	705	(17%)	101	(2%)	806	(19%)	2,769	(24%)	231	(2%)	3,000	(27%)
50-59	162	(4%)	32	(1%)	194	(5%)	830	(7%)	98	(1%)	928	(8%)
60+	23	(1%)	4	0%	27	(1%)	251	(2%)	35	0%	286	(3%)
TOTAL	3,613	(86%)	602	(14%)	4,215	(100%)	10,298	(91%)	1,014	(9%)	11,312	(100%)

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

2 Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.

3 Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

4 Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

**Washington State HIV/AIDS Surveillance Report - 01/31/2006**  
**Washington State Department of Health**

**Tables 3. HIV<sup>1</sup> CASES, RACE/ETHNICITY<sup>10</sup> AND EXPOSURE CATEGORY<sup>6</sup>**

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<b><u>Race/Ethnicity</u></b>								
White, not Hispanic	2,710	(75%)	298	(51%)	13	(34%)	3,021	(72%)
Black, not Hispanic	425	(12%)	184	(32%)	15	(39%)	624	(15%)
Hispanic (All Races)	283	(8%)	53	(9%)	6	(16%)	342	(8%)
Asian/Pacific Islander	2	0%	4	(1%)	0	0%	6	0%
Asian	86	(2%)	10	(2%)	4	(11%)	100	(2%)
Hawaiian/Pacific Islander	6	0%	1	0%	0	0%	7	0%
Native American/Alaskan	35	(1%)	27	(5%)	0	0%	62	(1%)
Multi-race	16	0%	1	0%	0	0%	17	0%
Unknown	33	(1%)	3	(1%)	0	0%	36	(1%)
<b>Total</b>	<b>3,596</b>	<b>(100%)</b>	<b>581</b>	<b>(100%)</b>	<b>38</b>	<b>(100%)</b>	<b>4,215</b>	<b>(100%)</b>
<b><u>Exposure Category</u></b>								
Male/male sex (MSM)	2,628	(73%)	0	0%	0	0%	2,628	(62%)
Injecting Drug Use (IDU)	241	(7%)	143	(25%)	0	0%	384	(9%)
MSM and IDU	351	(10%)	0	0%	0	0%	351	(8%)
Transfusion/Transplant	9	0%	11	(2%)	0	0%	20	0%
Hemophilia	12	0%	1	0%	1	(3%)	14	0%
Heterosexual Contact	129	(4%)	282	(49%)	0	0%	411	(10%)
Mother at Risk for HIV	0	0%	0	0%	34	(89%)	34	(1%)
No Identified Risk/Other	226	(6%)	144	(25%)	3	(8%)	373	(9%)
<b>Total</b>	<b>3,596</b>	<b>(100%)</b>	<b>581</b>	<b>(100%)</b>	<b>38</b>	<b>(100%)</b>	<b>4,215</b>	<b>(100%)</b>

**Tables 4. AIDS CASES, RACE/ETHNICITY<sup>10</sup> AND EXPOSURE CATEGORY<sup>6</sup>**

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<b><u>Race/Ethnicity</u></b>								
White, not Hispanic	8,165	(79%)	543	(54%)	15	(47%)	8,723	(77%)
Black, not Hispanic	987	(10%)	271	(27%)	10	(31%)	1,268	(11%)
Hispanic (All Races)	751	(7%)	87	(9%)	4	(13%)	842	(7%)
Asian/Pacific Islander	31	0%	13	(1%)	1	(3%)	45	0%
Asian	128	(1%)	18	(2%)	0	0%	146	(1%)
Hawaiian/Pacific Islander	21	0%	7	(1%)	0	0%	28	0%
Native American/Alaskan	158	(2%)	51	(5%)	1	(3%)	210	(2%)
Multi-race	32	0%	5	(1%)	1	(3%)	38	0%
Unknown	10	0%	2	0%	0	0%	12	0%
<b>Total</b>	<b>10,283</b>	<b>(100%)</b>	<b>997</b>	<b>(100%)</b>	<b>32</b>	<b>(100%)</b>	<b>11,312</b>	<b>(100%)</b>
<b><u>Exposure Category</u></b>								
Male/male sex (MSM)	7,480	(73%)	0	0%	0	0%	7,480	(66%)
Injecting Drug Use (IDU)	744	(7%)	287	(29%)	0	0%	1,031	(9%)
MSM and IDU	1,120	(11%)	0	0%	0	0%	1,120	(10%)
Transfusion/Transplant	73	(1%)	52	(5%)	0	0%	125	(1%)
Hemophilia	83	(1%)	4	0%	4	(13%)	91	(1%)
Heterosexual Contact	298	(3%)	498	(50%)	0	0%	796	(7%)
Mother at Risk for HIV	1	0%	0	0%	28	(88%)	29	0%
No Identified Risk/Other	484	(5%)	156	(16%)	0	0%	640	(6%)
<b>Total</b>	<b>10,283</b>	<b>(100%)</b>	<b>997</b>	<b>(100%)</b>	<b>32</b>	<b>(100%)</b>	<b>11,312</b>	<b>(100%)</b>

**Notes:**

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

6 Heterosexual Contact refers to contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

# Washington State HIV/AIDS Surveillance Report - 01/31/2006

## Washington State Department of Health

**Table 5. HIV<sup>1</sup> AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE <sup>8</sup> AT DIAGNOSIS**

	CASES DIAGNOSED					DEATHS				PRESUMED LIVING				
	HIV 1		AIDS		HIV/AIDS Total	HIV 1		AIDS		HIV 1		AIDS		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	(%)	No.	(%)	No.	(%)	No.	(%)	
<b>Region 1</b>	175	(4.2%)	632	(5.6%)	<b>807</b>	14	(6.4%)	340	(5.5%)	161	(4.0%)	292	(5.7%)	<b>453</b>
ADAMS CO.	1	0.0%	5	0.0%	<b>6</b>	0	0.0%	1	0.0%	1	0.0%	4	(0.1%)	<b>5</b>
ASOTIN CO.	4	(0.1%)	15	(0.1%)	<b>19</b>	1	(0.5%)	6	(0.1%)	3	(0.1%)	9	(0.2%)	<b>12</b>
COLUMBIA CO.	1	0.0%	4	0.0%	<b>5</b>	0	0.0%	3	0.0%	1	0.0%	1	0.0%	<b>2</b>
FERRY CO.	0	0.0%	7	(0.1%)	<b>7</b>	0	0.0%	6	(0.1%)	0	0.0%	1	0.0%	<b>1</b>
GARFIELD CO.	1	0.0%	0	0.0%	<b>1</b>	0	0.0%	0	0.0%	1	0.0%	0	0.0%	<b>1</b>
LINCOLN CO.	0	0.0%	4	0.0%	<b>4</b>	0	0.0%	2	0.0%	0	0.0%	2	0.0%	<b>2</b>
OKANOGAN CO.	7	(0.2%)	26	(0.2%)	<b>33</b>	0	0.0%	9	(0.1%)	7	(0.2%)	17	(0.3%)	<b>24</b>
PEND OREILLE CO.	1	0.0%	8	(0.1%)	<b>9</b>	0	0.0%	5	(0.1%)	1	0.0%	3	(0.1%)	<b>4</b>
SPOKANE CO.	144	(3.4%)	479	(4.2%)	<b>623</b>	12	(5.5%)	267	(4.3%)	132	(3.3%)	212	(4.2%)	<b>344</b>
STEVENS CO.	6	(0.1%)	19	(0.2%)	<b>25</b>	0	0.0%	10	(0.2%)	6	(0.2%)	9	(0.2%)	<b>15</b>
WALLA WALLA CO.	8	(0.2%)	52	(0.5%)	<b>60</b>	1	(0.5%)	27	(0.4%)	7	(0.2%)	25	(0.5%)	<b>32</b>
WHITMAN CO.	2	0.0%	13	(0.1%)	<b>15</b>	0	0.0%	4	(0.1%)	2	(0.1%)	9	(0.2%)	<b>11</b>
<b>Region 2</b>	140	(3.3%)	383	(3.4%)	<b>523</b>	9	(4.1%)	185	(3.0%)	131	(3.3%)	198	(3.9%)	<b>329</b>
BENTON CO.	27	(0.6%)	78	(0.7%)	<b>105</b>	1	(0.5%)	37	(0.6%)	26	(0.7%)	41	(0.8%)	<b>67</b>
CHELAN CO.	18	(0.4%)	37	(0.3%)	<b>55</b>	2	(0.9%)	22	(0.4%)	16	(0.4%)	15	(0.3%)	<b>31</b>
DOUGLAS CO.	2	0.0%	2	0.0%	<b>4</b>	0	0.0%	2	0.0%	2	(0.1%)	0	0.0%	<b>2</b>
FRANKLIN CO.	20	(0.5%)	48	(0.4%)	<b>68</b>	1	(0.5%)	14	(0.2%)	19	(0.5%)	34	(0.7%)	<b>53</b>
GRANT CO.	10	(0.2%)	30	(0.3%)	<b>40</b>	1	(0.5%)	19	(0.3%)	9	(0.2%)	11	(0.2%)	<b>20</b>
KITTITAS CO.	3	(0.1%)	17	(0.2%)	<b>20</b>	0	0.0%	9	(0.1%)	3	(0.1%)	8	(0.2%)	<b>11</b>
Klickitat CO.	4	(0.1%)	9	(0.1%)	<b>13</b>	0	0.0%	6	(0.1%)	4	(0.1%)	3	(0.1%)	<b>7</b>
YAKIMA CO.	56	(1.3%)	162	(1.4%)	<b>218</b>	4	(1.8%)	76	(1.2%)	52	(1.3%)	86	(1.7%)	<b>138</b>
<b>Region 3</b>	328	(7.8%)	920	(8.1%)	<b>1,248</b>	24	(11.0%)	464	(7.5%)	304	(7.6%)	456	(8.9%)	<b>760</b>
ISLAND CO.	15	(0.4%)	58	(0.5%)	<b>73</b>	1	(0.5%)	33	(0.5%)	14	(0.4%)	25	(0.5%)	<b>39</b>
SAN JUAN CO.	6	(0.1%)	18	(0.2%)	<b>24</b>	1	(0.5%)	10	(0.2%)	5	(0.1%)	8	(0.2%)	<b>13</b>
SKAGIT CO.	26	(0.6%)	58	(0.5%)	<b>84</b>	4	(1.8%)	33	(0.5%)	22	(0.6%)	25	(0.5%)	<b>47</b>
SNOHOMISH CO.	229	(5.4%)	636	(5.6%)	<b>865</b>	15	(6.9%)	309	(5.0%)	214	(5.4%)	327	(6.4%)	<b>541</b>
WHATCOM CO.	52	(1.2%)	150	(1.3%)	<b>202</b>	3	(1.4%)	79	(1.3%)	49	(1.2%)	71	(1.4%)	<b>120</b>
<b>Region 4 (King Co.)</b>	2,757	(65.4%)	7,243	(64.0%)	<b>10,000</b>	127	(58.3%)	4,082	(65.7%)	2,630	(65.8%)	3,161	(61.9%)	<b>5,791</b>
KING CO.	2,757	(65.4%)	7,243	(64.0%)	<b>10,000</b>	127	(58.3%)	4,082	(65.7%)	2,630	(65.8%)	3,161	(61.9%)	<b>5,791</b>
<b>Region 5</b>	473	(11.2%)	1,194	(10.6%)	<b>1,667</b>	30	(13.8%)	663	(10.7%)	443	(11.1%)	531	(10.4%)	<b>974</b>
KITSAP CO.	77	(1.8%)	205	(1.8%)	<b>282</b>	2	(0.9%)	115	(1.9%)	75	(1.9%)	90	(1.8%)	<b>165</b>
PIERCE CO.	396	(9.4%)	989	(8.7%)	<b>1,385</b>	28	(12.8%)	548	(8.8%)	368	(9.2%)	441	(8.6%)	<b>809</b>
<b>Region 6</b>	342	(8.1%)	940	(8.3%)	<b>1,282</b>	14	(6.4%)	475	(7.7%)	328	(8.2%)	465	(9.1%)	<b>793</b>
CLALLAM CO.	21	(0.5%)	53	(0.5%)	<b>74</b>	2	(0.9%)	29	(0.5%)	19	(0.5%)	24	(0.5%)	<b>43</b>
CLARK CO.	154	(3.7%)	410	(3.6%)	<b>564</b>	3	(1.4%)	210	(3.4%)	151	(3.8%)	200	(3.9%)	<b>351</b>
COWLITZ CO.	35	(0.8%)	90	(0.8%)	<b>125</b>	1	(0.5%)	51	(0.8%)	34	(0.9%)	39	(0.8%)	<b>73</b>
GRAYS HARBOR CO.	17	(0.4%)	54	(0.5%)	<b>71</b>	1	(0.5%)	32	(0.5%)	16	(0.4%)	22	(0.4%)	<b>38</b>
JEFFERSON CO.	9	(0.2%)	23	(0.2%)	<b>32</b>	3	(1.4%)	15	(0.2%)	6	(0.2%)	8	(0.2%)	<b>14</b>
LEWIS CO.	9	(0.2%)	40	(0.4%)	<b>49</b>	1	(0.5%)	25	(0.4%)	8	(0.2%)	15	(0.3%)	<b>23</b>
MASON CO.	22	(0.5%)	75	(0.7%)	<b>97</b>	0	0.0%	23	(0.4%)	22	(0.6%)	52	(1.0%)	<b>74</b>
PACIFIC CO.	9	(0.2%)	16	(0.1%)	<b>25</b>	1	(0.5%)	10	(0.2%)	8	(0.2%)	6	(0.1%)	<b>14</b>
SKAMANIA CO.	0	0.0%	7	(0.1%)	<b>7</b>	0	0.0%	5	(0.1%)	0	0.0%	2	0.0%	<b>2</b>
THURSTON CO.	65	(1.5%)	170	(1.5%)	<b>235</b>	2	(0.9%)	75	(1.2%)	63	(1.6%)	95	(1.9%)	<b>158</b>
WAHIAKUM CO.	1	0.0%	2	0.0%	<b>3</b>	0	0.0%	0	0.0%	1	0.0%	2	0.0%	<b>3</b>
<b>STATE TOTAL</b>	4,215	(100.0%)	11,312	(100.0%)	<b>15,527</b>	218	(100.0%)	6,209	(100.0%)	3,997	(100.0%)	5,103	(100.0%)	<b>9,100</b>

**Notes:**

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

8 County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

# Washington State HIV/AIDS Surveillance Report - 01/31/2006

## Washington State Department of Health

**Table 6. HIV<sup>1</sup> CASES, YEAR OF DIAGNOSIS<sup>3</sup> BY GENDER, RACE/ETHNICITY<sup>10</sup>, EXPOSURE CATEGORY<sup>6</sup>, AND AIDSNET REGION OF RESIDENCE<sup>9</sup> AT DIAGNOSIS**

	1982-1989		1990-1997		1998 - Current <sup>5</sup>		Cumulative		2002		2003		2004		2005 <sup>5</sup>		2006 YTD <sup>5</sup>	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<b><u>Race/Ethnicity</u></b>																		
White, not Hispanic	351	(86%)	1,031	(77%)	1,639	(66%)	3,021	(72%)	196	(64%)	215	(66%)	205	(62%)	230	(64%)	0	0%
Black, not Hispanic	38	(9%)	159	(12%)	427	(17%)	624	(15%)	67	(22%)	61	(19%)	66	(20%)	61	(17%)	0	0%
Hispanic (All Races)	10	(2%)	92	(7%)	240	(10%)	342	(8%)	24	(8%)	29	(9%)	32	(10%)	44	(12%)	1	(100%)
Asian/Pacific Islander	0	0%	1	0%	5	0%	6	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Asian	3	(1%)	25	(2%)	72	(3%)	100	(2%)	7	(2%)	9	(3%)	12	(4%)	10	(3%)	0	0%
Hawaiian/Pacific Islander	1	0%	0	0%	6	0%	7	0%	0	0%	2	(1%)	0	0%	2	(1%)	0	0%
Native American/Alaskan	5	(1%)	18	(1%)	39	(2%)	62	(1%)	6	(2%)	6	(2%)	9	(3%)	4	(1%)	0	0%
Multi-race	0	0%	2	0%	15	(1%)	17	0%	4	(1%)	1	0%	6	(2%)	3	(1%)	0	0%
Unknown	2	0%	9	(1%)	25	(1%)	36	(1%)	3	(1%)	1	0%	3	(1%)	7	(2%)	0	0%
<b>Total</b>	<b>410</b>	<b>(100%)</b>	<b>1,337</b>	<b>(100%)</b>	<b>2,468</b>	<b>(100%)</b>	<b>4,215</b>	<b>(100%)</b>	<b>307</b>	<b>(100%)</b>	<b>324</b>	<b>(100%)</b>	<b>333</b>	<b>(100%)</b>	<b>361</b>	<b>(100%)</b>	<b>1</b>	<b>(100%)</b>
<b><u>Gender</u></b>																		
Male	377	(92%)	1,132	(85%)	2,104	(85%)	3,613	(86%)	262	(85%)	276	(85%)	284	(85%)	309	(86%)	1	(100%)
Female	33	(8%)	205	(15%)	364	(15%)	602	(14%)	45	(15%)	48	(15%)	49	(15%)	52	(14%)	0	0%
<b>Total</b>	<b>410</b>	<b>(100%)</b>	<b>1,337</b>	<b>(100%)</b>	<b>2,468</b>	<b>(100%)</b>	<b>4,215</b>	<b>(100%)</b>	<b>307</b>	<b>(100%)</b>	<b>324</b>	<b>(100%)</b>	<b>333</b>	<b>(100%)</b>	<b>361</b>	<b>(100%)</b>	<b>1</b>	<b>(100%)</b>
<b><u>Exposure Category</u></b>																		
Male/male sex (MSM)	277	(68%)	824	(62%)	1,527	(62%)	2,628	(62%)	197	(64%)	206	(64%)	199	(60%)	203	(56%)	0	0%
Injecting Drug Use (IDU)	44	(11%)	136	(10%)	204	(8%)	384	(9%)	26	(8%)	24	(7%)	28	(8%)	23	(6%)	0	0%
MSM and IDU	50	(12%)	115	(9%)	186	(8%)	351	(8%)	24	(8%)	23	(7%)	25	(8%)	36	(10%)	0	0%
Transfusion/Transplant	3	(1%)	6	0%	11	0%	20	0%	1	0%	0	0%	2	(1%)	4	(1%)	0	0%
Hemophilia	9	(2%)	4	0%	1	0%	14	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Heterosexual Contact	11	(3%)	129	(10%)	271	(11%)	411	(10%)	39	(13%)	36	(11%)	34	(10%)	36	(10%)	0	0%
Mother at Risk for HIV	3	(1%)	24	(2%)	7	0%	34	(1%)	0	0%	1	0%	1	0%	0	0%	0	0%
No Identified Risk/Other	13	(3%)	99	(7%)	261	(11%)	373	(9%)	20	(7%)	34	(10%)	44	(13%)	59	(16%)	1	(100%)
<b>Total</b>	<b>410</b>	<b>(100%)</b>	<b>1,337</b>	<b>(100%)</b>	<b>2,468</b>	<b>(100%)</b>	<b>4,215</b>	<b>(100%)</b>	<b>307</b>	<b>(100%)</b>	<b>324</b>	<b>(100%)</b>	<b>333</b>	<b>(100%)</b>	<b>361</b>	<b>(100%)</b>	<b>1</b>	<b>(100%)</b>
<b><u>AIDSNET Region</u></b>																		
Region 1	21	(5%)	53	(4%)	101	(4%)	175	(4%)	15	(5%)	14	(4%)	18	(5%)	14	(4%)	0	0%
Region 2	11	(3%)	41	(3%)	88	(4%)	140	(3%)	14	(5%)	7	(2%)	9	(3%)	18	(5%)	0	0%
Region 3	31	(8%)	120	(9%)	177	(7%)	328	(8%)	15	(5%)	26	(8%)	23	(7%)	35	(10%)	0	0%
Region 4 (King Co.)	280	(68%)	847	(63%)	1,630	(66%)	2,757	(65%)	203	(66%)	209	(65%)	228	(68%)	211	(58%)	1	(100%)
Region 5	39	(10%)	166	(12%)	268	(11%)	473	(11%)	37	(12%)	40	(12%)	24	(7%)	44	(12%)	0	0%
Region 6	28	(7%)	110	(8%)	204	(8%)	342	(8%)	23	(7%)	28	(9%)	31	(9%)	39	(11%)	0	0%
<b>Total</b>	<b>410</b>	<b>(100%)</b>	<b>1,337</b>	<b>(100%)</b>	<b>2,468</b>	<b>(100%)</b>	<b>4,215</b>	<b>(100%)</b>	<b>307</b>	<b>(100%)</b>	<b>324</b>	<b>(100%)</b>	<b>333</b>	<b>(100%)</b>	<b>361</b>	<b>(100%)</b>	<b>1</b>	<b>(100%)</b>

**Notes:**

1 This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State Department of Health  
IDRH Assessment Unit  
P.O. Box 47838 -- Olympia, WA 98504-7838  
(360) 236-3455

# Washington State HIV/AIDS Surveillance Report - 01/31/2006

## Washington State Department of Health

**Table 7. AIDS CASES, YEAR OF DIAGNOSIS<sup>3</sup> BY GENDER, RACE/ETHNICITY<sup>10</sup>, EXPOSURE CATEGORY<sup>6</sup>, AND AIDSNET REGION OF RESIDENCE<sup>9</sup> AT DIAGNOSIS**

	1982-1989		1990-1997		1998 - Current <sup>5</sup>		Cumulative		2002		2003		2004		2005 <sup>5</sup>		2006 YTD <sup>5</sup>	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<b><u>Race/Ethnicity</u></b>																		
White, not Hispanic	1,710	(88%)	4,919	(79%)	2,094	(66%)	8,723	(77%)	265	(64%)	271	(64%)	265	(66%)	239	(63%)	0	0%
Black, not Hispanic	130	(7%)	606	(10%)	532	(17%)	1,268	(11%)	74	(18%)	67	(16%)	65	(16%)	66	(17%)	2	(100%)
Hispanic (All Races)	75	(4%)	417	(7%)	350	(11%)	842	(7%)	43	(10%)	54	(13%)	42	(11%)	43	(11%)	0	0%
Asian/Pacific Islander	3	0%	31	(1%)	11	0%	45	0%	3	(1%)	1	0%	0	0%	1	0%	0	0%
Asian	11	(1%)	68	(1%)	67	(2%)	146	(1%)	13	(3%)	10	(2%)	9	(2%)	17	(4%)	0	0%
Hawaiian/Pacific Islander	5	0%	9	0%	14	0%	28	0%	2	0%	5	(1%)	2	(1%)	1	0%	0	0%
Native American/Alaskan	16	(1%)	117	(2%)	77	(2%)	210	(2%)	11	(3%)	10	(2%)	10	(3%)	10	(3%)	0	0%
Multi-race	1	0%	20	0%	17	(1%)	38	0%	1	0%	3	(1%)	5	(1%)	4	(1%)	0	0%
Unknown	0	0%	2	0%	10	0%	12	0%	1	0%	0	0%	2	(1%)	0	0%	0	0%
<b>Total</b>	<b>1,951</b>	<b>(100%)</b>	<b>6,189</b>	<b>(100%)</b>	<b>3,172</b>	<b>(100%)</b>	<b>11,312</b>	<b>(100%)</b>	<b>413</b>	<b>(100%)</b>	<b>421</b>	<b>(100%)</b>	<b>400</b>	<b>(100%)</b>	<b>381</b>	<b>(100%)</b>	<b>2</b>	<b>(100%)</b>
<b><u>Gender</u></b>																		
Male	1,889	(97%)	5,696	(92%)	2,713	(86%)	10,298	(91%)	342	(83%)	354	(84%)	332	(83%)	325	(85%)	2	(100%)
Female	62	(3%)	493	(8%)	459	(14%)	1,014	(9%)	71	(17%)	67	(16%)	68	(17%)	56	(15%)	0	0%
<b>Total</b>	<b>1,951</b>	<b>(100%)</b>	<b>6,189</b>	<b>(100%)</b>	<b>3,172</b>	<b>(100%)</b>	<b>11,312</b>	<b>(100%)</b>	<b>413</b>	<b>(100%)</b>	<b>421</b>	<b>(100%)</b>	<b>400</b>	<b>(100%)</b>	<b>381</b>	<b>(100%)</b>	<b>2</b>	<b>(100%)</b>
<b><u>Exposure Category</u></b>																		
Male/male sex (MSM)	1,499	(77%)	4,227	(68%)	1,754	(55%)	7,480	(66%)	219	(53%)	238	(57%)	209	(52%)	199	(52%)	0	0%
Injecting Drug Use (IDU)	82	(4%)	573	(9%)	376	(12%)	1,031	(9%)	47	(11%)	46	(11%)	44	(11%)	43	(11%)	0	0%
MSM and IDU	234	(12%)	612	(10%)	274	(9%)	1,120	(10%)	37	(9%)	33	(8%)	32	(8%)	38	(10%)	0	0%
Transfusion/Transplant	47	(2%)	64	(1%)	14	0%	125	(1%)	1	0%	1	0%	3	(1%)	2	(1%)	0	0%
Hemophilia	30	(2%)	52	(1%)	9	0%	91	(1%)	0	0%	1	0%	1	0%	1	0%	0	0%
Heterosexual Contact	29	(1%)	372	(6%)	395	(12%)	796	(7%)	71	(17%)	55	(13%)	55	(14%)	51	(13%)	0	0%
Mother at Risk for HIV	8	0%	18	0%	3	0%	29	0%	0	0%	0	0%	0	0%	1	0%	0	0%
No Identified Risk/Other	22	(1%)	271	(4%)	347	(11%)	640	(6%)	38	(9%)	47	(11%)	56	(14%)	46	(12%)	2	(100%)
<b>Total</b>	<b>1,951</b>	<b>(100%)</b>	<b>6,189</b>	<b>(100%)</b>	<b>3,172</b>	<b>(100%)</b>	<b>11,312</b>	<b>(100%)</b>	<b>413</b>	<b>(100%)</b>	<b>421</b>	<b>(100%)</b>	<b>400</b>	<b>(100%)</b>	<b>381</b>	<b>(100%)</b>	<b>2</b>	<b>(100%)</b>
<b><u>AIDSNET Region</u></b>																		
Region 1	79	(4%)	343	(6%)	210	(7%)	632	(6%)	26	(6%)	27	(6%)	30	(8%)	26	(7%)	0	0%
Region 2	48	(2%)	191	(3%)	144	(5%)	383	(3%)	15	(4%)	20	(5%)	23	(6%)	19	(5%)	0	0%
Region 3	111	(6%)	514	(8%)	295	(9%)	920	(8%)	40	(10%)	38	(9%)	40	(10%)	52	(14%)	0	0%
Region 4 (King Co.)	1,434	(74%)	3,965	(64%)	1,844	(58%)	7,243	(64%)	246	(60%)	271	(64%)	221	(55%)	202	(53%)	2	(100%)
Region 5	171	(9%)	645	(10%)	378	(12%)	1,194	(11%)	37	(9%)	38	(9%)	45	(11%)	39	(10%)	0	0%
Region 6	108	(6%)	531	(9%)	301	(9%)	940	(8%)	49	(12%)	27	(6%)	41	(10%)	43	(11%)	0	0%
<b>Total</b>	<b>1,951</b>	<b>(100%)</b>	<b>6,189</b>	<b>(100%)</b>	<b>3,172</b>	<b>(100%)</b>	<b>11,312</b>	<b>(100%)</b>	<b>413</b>	<b>(100%)</b>	<b>421</b>	<b>(100%)</b>	<b>400</b>	<b>(100%)</b>	<b>381</b>	<b>(100%)</b>	<b>2</b>	<b>(100%)</b>

**Notes:**

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the per between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.